

Kodiak Rotary Cutter Specifications

Model Series	ST Standard Duty	MD Medium Duty	HD Heavy Duty	RBMH Roundback	RBMSHD Roundback	5200 Series 96" (Min. 42HP)	5200 Series 120" (Min. 52HP)
Gearbox HP Rating	40HP	90HP	90HP	90HP	180HP	Center 100HP Outboard 90HP	Center 100HP Outboard 90HP
Top Link (3 Point Hitch Models)	Floating	Floating	Floating	Floating	Floating	Floating	Floating
3 Point Hitch	Cat I	Cat I	Cat II	Cat I	Cat I or II	Cat I or II	Cat I or II
Pull Type	Clevis Hitch	Clevis Hitch	Clevis Hitch	NA	NA	Clevis Hitch	Clevis Hitch
Height Adjustment 3 Point Hitch	3"-12" Shift Bolts	3"-12" Shift Bolts	3"-12" Shift Bolts	2"-10" Shift Bolts	2"-10" Shift Bolts	2"-8" Shift Bolts	2"-8" Shift Bolts
Height Adjustment Pull Type Models	3"-12" Turnbuckle	3"-12" Turnbuckle	3"-12" Turnbuckle (PT84HD Hyd. Cyl)	NA	NA	2"-12" Hydraulic Cylinder	2"-12" Hydraulic Cylinder
Max Cutting Diameter Recommended	1 1/2"	2"	3"	2"	3"	3"	3"
Deck Thickness	11 GA	11 GA	3/16" (7 GA)	10 GA	3/16" (7 GA)	10 GA	3/16" (7 GA)
Side Bands	HD 7" Channel	HD 7" Channel	HD 8" Channel	3/16" Channel	1/4" Channel	HD 7" Channel	HD 8" Channel
PTO Drive Shaft	Series 4	Series 4	Series 6 w/Slip Clutch	Series 5 w/Slip Clutch	Series 6 w/Slip Clutch	Series 5 w/Slip Clutch (CV w/slip on Pull Type)	Series 5 w/Slip Clutch (CV w/slip on Pull Type)
Slip Clutch	Optional	Optional	Standard	Standard	Standard	Standard	Standard
Wheels	Laminated (Dual on Pull Type)	Laminated (Dual on Pull Type)	Laminated (Dual)	Laminated	Laminated (Dual)	Laminated (Dual)	Laminated (Dual)
Wheel Hub(s)	Regreasable	Regreasable	Bearings	Bearings	Bearings	Bearings	Bearings
Stump Jumper	Pan Type	5/8" Solid	5' & 6' 5/8" Solid 7' -3/4" Solid	5/8" Solid Round	6'-5/8" Solid Round 7'-3/4" Solid Oblong	5/8" Solid	5/8" Solid
Front and Rear Chain Guards	Optional	Optional	Optional	Optional	Optional	Optional	Optional

Features:

- 5 year gearbox warranty on all cutters
- Gearboxes are filled from the factory
- All decks are primer coated before applying a high gloss paint for a lasting finish
- Cutters 60" and larger are standard with bolt-on replaceable shoes
- Solid welds for more strength and better appearance. No stitch welding
- Most models require only 3 bolt assembly

Warning: Kodiak recommends that front and rear chain guards are purchased in all applications.



Woodward Crossings, Inc.
www.WoodwardCrossings.com
814-349-4484

ROTARY CUTTERS

ROTARY CUTTERS - 40HP STANDARD DUTY



ITEMNUMBER	DESCRIPTION	WEIGHT
ST48	48" 3PH Cutter - 40HP, Shear Bolt, Gray	436
ST48SC	48" 3PH Cutter - 40HP, Slip Clutch	456
ST60	60" 3PH Cutter - 40HP, Shear Bolt	510
ST60SC	60" 3PH Cutter - 40HP, Slip Clutch	530
ST72	72" 3PH Cutter - 40HP, Shear Bolt	645
ST72SC	72" 3PH Cutter - 40HP, Slip Clutch	665

ROTARY CUTTERS - 90HP MEDIUM DUTY



ITEMNUMBER	DESCRIPTION	WEIGHT
MD72	72" 3PH Cutter - 90HP	755
MD72SC	72" 3PH Cutter - 90HP, Slip Clutch	755
MD72SC2TW	72" 3PH Cutter - 90HP, Slip Clutch Dual Tail Wheels	825

ROTARY CUTTERS - 90HP HEAVY DUTY W/SLIP CLUTCH



ITEMNUMBER	DESCRIPTION	WEIGHT
HD72	72" 3PH Cutter, 90HP, Slip Clutch	1205
HD84	84" 3PH Cutter - 90HP, Slip Clutch	1375
PT84HD	84" Pull Type Cutter - 90HP, Slip Clutch	1465

ROTARY CUTTER CHAIN GUARDS FOR 40" - 84" CUTTERS

ROTARY CUTTER FRONT CHAIN GUARDS

ITEMNUMBER	DESCRIPTION	WEIGHT
FCG4	Front Chain Guard For 48"	
FCG5	Front Chain Guard For 60" (Including Roundback)	
FCG6	Front Chain Guard For 72" (Including Roundback)	
FCG7	Front Chain Guard For 84" (Including Roundback)	48

ROTARY CUTTER REAR CHAIN GUARDS

ITEMNUMBER	DESCRIPTION	WEIGHT
RCG4	Rear Chain Guard For 48"	
RCG5	Rear Chain Guard For 60"	
RCG6	Rear Chain Guard For 72"	
RCG7	Rear Chain Guard For 84"	30
RCG60RB	Rear Chain Guard For 60" Roundback	
RCG72RB	Rear Chain Guard For 72" Roundback	



Woodward Crossings, Inc.
www.WoodwardCrossings.com
814-349-4484

ROTARY CUTTERS

ROTARY CUTTER CHAIN GUARDS FOR 40" - 84" CUTTERS



Standard Duty (ST)



Heavy Duty (HD)



Medium Duty (MD)



HD96

*All cutters are shown with OPTIONAL chain guards

ROTARY CUTTERS - 5200 SERIES TWO SPINDLE - 96" AND 120"

Freight From C&B Warehouse = 48", 60" & 72" - \$200; 84" & over - \$350.



ITEMNUMBER	DESCRIPTION	WEIGHT
HD96	96" 3PH Cutter - 90HP, 2 Spindle	1250
HD120	120" 3PH Cutter - 90HP, 2 Spindle, Slip Clutch	1480
PT96HD	96" Pull Type Cutter - Dual Spindle, 90HP, Slip Clutch	1410
PT120HD	120" Pull Type Cutter - 90HP, Slip Clutch	1790

ROTARY CUTTER CHAIN GUARDS FOR 96" AND 120" MODELS

ITEMNUMBER	DESCRIPTION
FCG8	Front Chain Guard For 96"
RCG8	Rear Chain Guard For 96"
FCG120	Front Chain Guard For 120"
RCG120	Rear Chain Guard For 120"



Woodward Crossings, Inc.
www.WoodwardCrossings.com
814-349-4484



ROTARY TILLERS

ITEMNUMBER	DESCRIPTION	WEIGHT
T5	Tiller 60" Gear Drive 25-40HP	690
T6	Tiller 72" Gear Drive 35-50HP	780

5800GR SERIES • ROTARY TILLER



Rugged Gear Drive Transmission.
 Adjustable Rear Deflector Shield for a Smooth Finish.
 Extended Torque Tube for Added Structural Integrity.
 Engineered and Built for Performance & Dependability.
 Available in 48", 60", and 72" widths.
 Quick Hitch compatible.



SPECIFICATIONS

	60"	72"
Heavy Duty Cast Iron Gear Box	Standard	Standard
Slip Clutch	Standard	Standard
CAT 1 Quick Hitch	Standard	Standard
Parking Stand	Standard	Standard
Number of Tines Per Flange	6	6
Number of Flanges	7	9
Total Number of Tines	42	54
Long Life Hard Carbon Steel Tines	Standard	Standard
Replaceable Skid Shoes	Standard	Standard
Approximate Ship Weight	690 lbs.	780 lbs.
Recommended PTO HP	25-40	35-50



Woodward Crossings, Inc.
www.WoodwardCrossings.com
814-349-4484



FINISHING MOWERS

ITEMNUMBER	DESCRIPTION	WEIGHT
KFM48	Finish Mower 48"	341
KFM60	Finish Mower 60"	418
KFM72	Finish Mower 72"	506
KFM84	Finish Mower 84"	803



A Perfect Finish

Kodiak's Finish Mower gives you a professional cut finish that's quick and easy. The rear discharge design facilitates even clipping distribution and allows cutting close to trees and landscaping. High blade speeds, easy and accessible maintenance points, height adjustments and affordability.

Produced by Maschio for Kodiak

Model	KFM48	KFM60	KFM72	KFM84
Cutting Width	4'	5'	6'	7'
Recommended HP	14-40	23-40	32-40	35-50
No. of blades	3	3	3	3
Discharge	Rear	Rear	Rear	Rear

Fertilizer Spreader

- Easy shift lever control selects full left or right spreading
- Spreads grass seed, wheat, salt, and fertilizer
- Cone shaped poly hoppers hold approx 480-500# and up to 1020#)
- HD gearbox and PTO driveline
- Tubular steel main frame
- Ground drive on FSP480PT- pin to disengage gearbox
- 1 7/8" ball hitch-adjustable tongue
- 16x6.5-8 ply pneumatic tires/greaseable bushings on hubs.



FERTILIZER SPREADER

ITEMNUMBER	DESCRIPTION	WEIGHT
FSP4803PT	Spreader 3PH 480# Capacity - Setup Included	119
FSP480PL	Spreader Pull Type 480# Capacity- Ground Drive - Setup Included	119
FSP10203PT	Spreader 3PH 1020# Capacity - Setup Included	139



Woodward Crossings, Inc.
www.WoodwardCrossings.com
 814-349-4484

SCRAPER BLADES - 3PT HITCH

SCRAPER BLADES - 15HP

ITEMNUMBER	DESCRIPTION	WEIGHT
EB4	48" Economy Blade 25HP	137
EB5	60" Economy Blade	158

SCRAPER BLADES - STANDARD DUTY W/TILT - 30HP

ITEMNUMBER	DESCRIPTION	WEIGHT
30ST5	60" Standard Blade	199
30ST6	72" Standard Blade	252

SCRAPER BLADES - MEDIUM DUTY W/TILT - 50HP

ITEMNUMBER	DESCRIPTION	WEIGHT
50MD6	72" Md Blade 50HP	303
50MD7	84" Md Blade 50HP	318

SCRAPER BLADES - HEAVY DUTY W/TILT AND OFFSET - 70HP

ITEMNUMBER	DESCRIPTION	WEIGHT
70HD6	72" Hd Blade 70HP	439
70HD7	84" Hd Blade 70HP	469
70HD8	96" Hd Blade 70HP	503

Series	EB	ST	MD	HD
3 Point Hitch	Cat I	Cat I	Cat I	Cat I or II
Angle Adjustments	5 Forward and 5 Reverse	5 Forward and 5 Reverse	5 Forward and 5 Reverse	5 Forward and 5 Reverse – Manual or Hydraulic on Offset
Tilt Feature	No	Pan-Tilt	Pan-Tilt	Pan-Tilt
Moldboard Height	11" on 4'&5'	13 1/2"	15 1/2" Reinforced	17 1/2" Reinforced
Cutting Edge	3/8" x 6" Reversible			



30 HP Standard Duty Blade



50 HP Medium Duty Blade



70 HP HD Blade



Woodward Crossings, Inc.
www.WoodwardCrossings.com
814-349-4484

BOX SCRAPERS

BOX SCRAPERS - STANDARD DUTY

ITEMNUMBER	DESCRIPTION	WEIGHT
BS4	48" Box Scraper - 3 Shanks	300
BS5	60" Box Scraper - 4 Shank	350
BS6	72" Box Scraper - 5 Shanks	470

BOX SCRAPERS - HEAVY DUTY

ITEMNUMBER	DESCRIPTION	WEIGHT
HDBS6	72" Box Scraper - Heavy Duty 5 Shank	530
HDBS7	84" Box Scraper - Heavy Duty, 6 Shank	586
HDBS8	96" Box Scraper - Heavy Duty, 7 Shank	
DEDUCTKODK	For No Shanks - Deduct \$12/Shank	

Heavy Duty Box Scraper

- Extra Heavy Duty A-Frame arms with clevis type hitch
- Adjustable ripper shanks.
- Replaceable points on rippers
- Dual reversible cutting edges
- 16" x 24" end plates - 1/2" thick
- Designed for maximum material volume
- Sizes 5',6',7',8'

Accepts CAT I Quick hitch



Standard Box Scraper

- Extra Heavy Duty A-Frame arms with clevis type hitch
- Adjustable ripper shanks.
- Replaceable points on rippers
- Dual reversible cutting edges
- 16" x 24" end plates
- Designed for maximum material volume
- Sizes 4', 5',6',7'

Accepts CAT I Quick hitch



Woodward Crossings, Inc.
www.WoodwardCrossings.com
814-349-4484

LANDSCAPE RAKES

LANDSCAPE RAKES - STANDARD - (1/4" X 4" X 4" TOOTH FRAME)

ITEMNUMBER	DESCRIPTION	WEIGHT
SR4	48" Rake - Standard	158
SR5	60" Rake - Standard	180
SR6	72" Rake - Standard	229

LANDSCAPE RAKES - HEAVY DUTY - (3/8" X 5" X 3" TOOTH FRAME)

ITEMNUMBER	DESCRIPTION	WEIGHT
HDR6	72" Rake - Heavy Duty	239
HDR7	84" Rake - Heavy Duty	261
HDR8	96" Rake - Heavy Duty	285

Heavy Duty Landscape Rake

- 5/16" x 1' tempered tines
- Heavy duty 3/8" x 5" x 3" main frame
- 4 front and 4 rear angle positions
- Optional gauge wheels for depth control
- Accepts CAT I Quick Hitch
- Sizes 4',5',6',7,8'



Standard Duty Landscape Rake

- 5/16" x 1' tempered tines
- 5/16" x 4" x 4" main frame
- Slider blade Type A-Frame
- 4 front and 4 rear angle positions
- Optional gauge wheels for depth control
- Accepts CAT I Quick Hitch
- Sizes 4',5',6',7,8'

LANDSCAPE RAKE OPTIONS

ITEMNUMBER	DESCRIPTION	WEIGHT
RRW	Gauge Wheels For Rakes (RGWPR)- Pair 4.80/4.00-8 Tire	80



Woodward Crossings, Inc.
www.WoodwardCrossings.com
814-349-4484

AERATORS-12" DIAMETER

AERATOR - SPIKE TYPE

Kodiak Aerators

Both Spike and Plug Aerators are made using a 12" diameter drum which can be filled for additional weight. 3 Point hitch model frames are made 16" wide to stack blocks for extra weight. 1" greasable bearings on all models.

Spikes are 2 3/4" long x 4" wide at the base. Core Tines are 15/16" diameter x 7" long and utilize a unique mounting system which allows them to move slightly during operation thus allowing easier penetration if subsurface objects are encountered and enhances the release of plugs.

AERATOR - SPIKE TYPE - 3PT HITCH

ITEMNUMBER	DESCRIPTION	WEIGHT
6A3	72" Spike Aerator (Filled Weight 696#)	380
8A3	96" Spike Aerator (Filled Weight 928#)	470



AERATOR - SPIKE TYPE - PULL TYPE

ITEMNUMBER	DESCRIPTION	WEIGHT
AR72P	72" Spike Aerator (Filled Weight 654#)	322

AERATOR - PLUG TYPE

AERATOR - PLUG TYPE - 3PT HITCH



ITEMNUMBER	DESCRIPTION	WEIGHT
6AP3	72" Plug Aerator (Filled Weight 840#)	488

AERATOR - PLUG TYPE - PULL TYPE



ITEMNUMBER	DESCRIPTION	WEIGHT
6AP	72" Plug Aerator (Filled Weight 714#)	398

AERATOR OPTIONS

ITEMNUMBER	DESCRIPTION
KDK5010036	Aerator Wheel Kit

QUICK HITCH



ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
QH1	Quick Hitch Cat 1	67	
QH2	Quick Hitch Cat 2 (100HP Max)	94	



Products for the Farm

Woodward Crossings

Woodward Crossings, Inc.
www.WoodwardCrossings.com

814-349-4484

TRAILER MOVER



ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
TH3PT	Trailer Mover - 3PH, 300# Tongue Weight, 4000# Pull	42	

LAND LEVELERS

ITEMNUMBER	DESCRIPTION	WEIGHT
LL72	Land Leveler 72"	565
LL84	Land Leveler 84"	620

Land Levelers		
Model	LL72	LL84
Working Width	72"	84"
Weight	565#	620#
Hitch	Cat I	Cat I
Overall Width	72 1/2"	84 1/2"
Overall Length	65"	65"
Side Panel Height	14"	
Side Panel Thickness	3/16"	
Front Beam	3" x 4" x 3/16" wall	
Rear Beam	2" x 2" 3/16" wall	
Skid Shoes	1/4" x 2" - replaceable	
Cutting Edges	2 each - 3/8" x 6" high carbon, heat treated, reversible and replaceable	
Quick Hitch Compatible	Yes	
HP Rating	25-50	



Distributed by:



CUMMINGS & BRICKER
www.cummingsandbricker.com
support@cummingsandbricker.com



Sold by:

Woodward Crossings, Inc.
www.WoodwardCrossings.com
814-349-4484