

# MCHALE ROUND BALE EQUIPMENT

## ROUND BALE WRAPPERS-TRAILED MODELS

**McHale** *The Professional Choice*

The McHale 991 Range sets the pace for efficient and effective round bale wrapping. Practical design, quality components and precision engineering make the 991 Range the first choice for contractors and farmers who want a high quality and consistent performance in all types of conditions and terrain. Look for the hydraulically operated cut and tie system, the efficient dispenser, which maximizes film usage and its patented ground supported damper system and you will see why the 991 Range is your perfect choice. Like all McHale wrappers, the high output 991 Range will give you a tightly wrapped bale that contains all the natural juices for increased nutritional value while improving environmental protection.



### MCHALE TRAILED MODELS

ITEMNUMBER	DESCRIPTION	WEIGHT
991BC	Bale Wrapper W/Load Arm & Sidetip - 4 Lever Cable Controls	4123
991BJS	Bale Wrapper W/Load Arm & Sidetip - Joystick W/Servo Controls (Non-stock)	4123
991BE	Bale Wrapper W/Load Arm & Sidetip - Electronic Controls	4123
991BER	Bale Wrapper W/Load Arm & Sidetip - Electronic Controls W/Remote	4123
991HS	Bale Wrapper W/Load Arm & Sidetip - Electric Controls - Twin Plastic Pretensioners For High Speed Wrapping	4299
991HSR	Bale Wrapper W/Load Arm & Sidetip - Electronic Controls W/Remote, High Speed	4299
991TBER	Bale Wrapper No Load Arm - Electronic Controls W/Remote	2200
ORBITAL	Bale Wrapper W/Load Arm & Sidetip - Electronic Controls, High Speed Wrapping	4078

### ROUND BALE WRAPPERS-3PT MODELS

ITEMNUMBER	DESCRIPTION	WEIGHT
991LB	Bale Wrapper 3PH - 4 Lever Cable Controls	1764
991LBER	Bale Wrapper 3PH - Electronic Controls W/Remote	1764
W2020	Bale Wrapper 3PH or Loader Mount - Electronic Controls, High Speed Wrapping	1863

***MCHALE Wrappers ship fully assembled***

## MCHALE ROUND & SQUARE WRAPPER OPTIONS AND ACCESSORIES

ITEMNUMBER	DESCRIPTION
MCPPH	Power Pack 13HP Honda E/S Wrappers - Fits 991TBER/995TSR Models - Battery Included, LIMITED AVAILABILITY
MCPPK	Power Pack 13HP Kohler E/S Wrappers - Fits 991TBER/995TSR Models - Battery Included
RBW00003	5' Lift Arm & Bobbin Holders - For 991B/991BE Models - Does Not Fit 991HC



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**

# MCHALE ROUND & SQUARE WRAPPER OPTIONS AND ACCESSORIES

## MCHALE 991 Trailed Bale Wrapper FEATURES



**BALE DAMPER SYSTEM** – The Patented Bale Damper system is probably one of the most important features. Only a McHale wrapper will give you a ground supported bale damper which will gently lower the bale to the ground and at the same time eliminate all stress to the chassis. When the rotating table stops and is raised to the tip position, the heavy duty bale damper raises to cradle the bale while a second arm is lowered automatically to the ground. The heaviest of bales can then be gently lowered eliminating damage.



**CUT & TIE SYSTEM** – The McHale hydraulically operated Cut and Tie System cuts and holds the film in position ready to wrap the next bale. This time saving device eliminates the need to manually reattach the film. Uniquely designed, this system works reliably and consistently in all weather conditions.

### Standard Features on 991B

- 4 lever control
- 30" dispenser
- Ground support damper
- Wide low ground pressure tires
- Self-loading arm
- Counter balance weight
- Bale support bobbins
- Shear bolt protection
- Auto stop function (Rotation lever locks after 2 rotations and stops at the pre-set number of rotations.)
- Side tip damper
- Storage for 3 rolls of film



Programmable Bale Counter



4 lever cable controls from the tractor seat



Electric Controls on 991BE



Wide Tires



Shear bolt protection

## MCHALE 991HS High Speed Bale Wrapper

**991HS** High Speed wrapper with dual dispensers, electric controls, film break sensors, self-loading arm and all the same features of the 991BE but with 50% more capacity.

The cab mounted control console is the operator's link to this high output machine. The operator is kept up to date on key machine operations through the graphic display. From the control console, the operator can select

- Auto bale load function
- Auto bale tip function
- Number of film layers to be applied to the bale
- Single roll wrapping mode



## MCHALE Orbital High Speed Wrapper

**Orbital High Speed Wrapper** delivers consistent and even overlap to achieve high quality bale.

The Orbital harnesses the proven vertical wrapping ring technology used in the McHale Fusion to deliver a high output, low maintenance bale wrapper which is capable of keeping up with multiple balers.

- Full Automatic Operations
- Patented High Speed Bale Loading
- High Speed Vertical Wrapping Ring
- Wrap Bales from 43" to 57"
- Proven/Reliable Cut & Hold System
- Gentle Bale Tip after Wrapping
- Film Break Sensors
- Facility to Wrap with One Roll
- Clever Film Loading
- Expert Plus Control Box



**Woodward Crossings, Inc.**  
[www.WoodwardCrossings.com](http://www.WoodwardCrossings.com)  
**814-349-4484**  
[mail@WoodwardCrossings.com](mailto:mail@WoodwardCrossings.com)

# MCHALE ROUND & SQUARE WRAPPER OPTIONS AND ACCESSORIES



## MCHALE 991L Round Bale Wrappers 3-Pt Models

The 991L series can be supplied with practical features including the hydraulic cut and tie system and the efficient 30" film dispenser unit which maximizes film usage, all which can be simply controlled with the touch of a button or a remote control.

### Technical Data

3 Point Models [Round] 991LB, 991LBER

Total Length	9'2"
Transport Width	5'5"
Height To Top of Rollers	2'9"
Total Height	6'4"
Min Oil Reg. GPM	5GPM @ 2200#
Max Bale Weight	2646 lbs.
Weight (unladen)	1764 lbs.
Working Speed Table (up to)	30 rotations/min
Electrical Requirements	12v/dc 7 pin (991LB) 12v/from battery (991LBER)
Drivers Control	3 Bank Valve & monitor (991LB)
Film Holders	2
Dispenser – Aluminum 55%	30" (20" optional)
Protection Mechanism	Shear bolt/roll pin
Greasing Points	11

### Equipment on Each Model

	991LB	991LB	991TBER
30/20	✓	✓	✓
2 Film Holders	✓	✓	✓
Bale Support Bobbins	✓	✓	✓
Quick Hitch System	✓	✓	✓
Cut & Tie	✓	✓	✓
Bale Wrap Monitor	✓	✓	✓
Full auto/remote and manual over-ride		✓	✓
Trailed			✓



## MCHALE W2020 High-Speed Stacking Bale Wrapper

The McHale W2020 is a compact high-speed stacking bale wrapper. It allows one operator to transport, wrap and stack the bale with one tractor or loader.

The W2020 can wrap a bale with four layers of plastic in approximately 20 seconds and with six layers of plastic in 30 seconds. The W2020 is controlled by an expert plus control box, which makes wrapper operation fully automatic.

- Dual Stretch Dispenser 70% (Optional 55%)
- Folding Arm Design
- Hydraulic Cut & Hold
- Plastic Break Sensors
- Fast Loading and Unloading Times
- Twin Satellites for Stable High Speed Wrapping



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**



# MCHALE SQUARE BALE EQUIPMENT

## MCHALE BIG SQUARE BALE WRAPPERS

### MCHALE MODEL 998 - WRAPS UP TO 4W X 6L BALES

ITEMNUMBER	DESCRIPTION	WEIGHT
998HS	Big Square Bale Wrapper-High Speed Up To 4' X 6' Bales	8680

### MCHALE 998HS High Speed Square Bale Wrapper

Common sense design, quality components and precision engineering make the 998 the trusted choice for contractors and farmers who demand high output and consistent performance in all conditions and terrain. Packed with features including conveyor loading and fast positioning of the bales into the wrapping position, hydraulically operated cut & tie system, auto bale leveling, and a two point linkage mounted, swivel headstock.

The in-cab control unit enables the operator to change bale sizes and select the desired number of film layers. When set, one touch of the auto start button operates the complete cycle from start to finish. The patented roller angle measuring device gives a consistent and even wrapping regardless of the bale size or shape, and also allows for extra care wrapping.

Standard with unloading conveyor and infrared remote control/receiver.

#### Technical Data

#### 998HS Trailed Model (square)

Transport Length	24'
Transport Width	9'7"
Transport Height	11'6"
Weight (unladen)	8,680 lbs
Wheel Dimensions	16.0/70-20 112ply
Attachment to Tractor	CAT II/III lower linkage SAE 6 spline PTO Shaft
PTO Speed	500-800 RPM
Hydraulic req:	
1 double acting spool valve	Hydraulic drawbar
1 single acting spool valve	Floating conveyor
Film Layers:	-2/ 2+2/2+2+2 (2 – 8 layers)
Operator selected	
Electrical Requirements	12 volt DC @ 5A
Drivers Control	Electronic Control Box
Bale Sizes	From 32" x 28" to 63" x 48" including double bales. Max Bale length 72"



Products for the Farm

Woodward Crossings

Woodward Crossings, Inc.  
[www.WoodwardCrossings.com](http://www.WoodwardCrossings.com)

814-349-4484

[mail@WoodwardCrossings.com](mailto:mail@WoodwardCrossings.com)



# MCHALE SQUARE BALE EQUIPMENT

## MCHALE BIG SQUARE BALE WRAPPERS

### MCHALE TRAILED MODELS (NON-SELF LOADING)

ITEMNUMBER	DESCRIPTION	WEIGHT
995TSR	Trailed Big Square Bale And Round Bale Wrapper- Fully Automatic W/ Electronic Remote Control	2700

*Wrappers ship fully assembled*

### MCHALE 995 Trailed Big Square Bale & Round Bale Wrapper



**NOTE: Max square bale size: 36"x36"x72"**

The McHale 995 Trailed Single Dispenser Fully Automatic Remote Control Square bale wrapper range is the practical and versatile solution for wrapping large square bales. With the usual McHale common sense design, quality components and precision engineering the 995TSR square bale wrapper is the trusted choice for farmers who want high output and consistent performance for use in static locations.

On the 995 TSR square bale wrapper the rotating rollers ensure an even rotation of the bale and the efficient application of the film. Versatile too, with a simple adjustment the 995TSR square bale wrapper will equally and efficiently wrap large round bales. Like all McHale square bale wrappers, the high output 995 TSR square bale wrapper will give you a tightly wrapped bale that contains all the natural juices for increased nutritional value while improving environmental protection.

The 995TSR square bale wrapper gives an operator the flexibility of being able to mount a hydraulic power pack on the front of the machine for transportation and operation. The 995TSR also features a trailed drawbar and transportation wheels. The 995TSR square bale wrapper is an advanced square bale wrapper, which can be operated from the loading tractor by remote control, allowing for one man operation of the loading, wrapping and stacking functions.



**Woodward Crossings, Inc.**  
**[www.WoodwardCrossings.com](http://www.WoodwardCrossings.com)**  
**814-349-4484**  
**[mail@WoodwardCrossings.com](mailto:mail@WoodwardCrossings.com)**

# MCHALE ROUND BALE EQUIPMENT

## MCHALE ROUND BALE SPLITTER

ITEMNUMBER	DESCRIPTION	WEIGHT
994	Bale Splitter For up to 4' Diameter Bales - 3PH	607

## MCHALE MOUNTING OPTIONS

ITEMNUMBER	DESCRIPTION	WEIGHT
BOKBO500MCHALE	Skid Steer Bolt On Kit	136
BOKAO600MCHALE	Euro / Global Q-Tach Bolt On Kit	

### 994 Bale Splitter - Technical Data

Bale Splitter	994
Weight	607 lbs
Length	6'8"
Width	4'2"
Height - Open	7'3"
Height - Closed	3'3"
Lift Capacity	2425 lbs
Hydraulic Requirements	1 double acting service
Greasing points	3



MOUNTING – 3PT (Standard) or Loader (Mounting Brackets available through HLA)

## MCHALE ROUND BALE HANDLER

ITEMNUMBER	DESCRIPTION	WEIGHT
691BH	Round Bale Handler - Rolls Remove To Reveal Spears (Loader Brackets priced separately)	352
R5	Round Bale Handler - No Mounting Bracket / Includes Hose Kit & Pioneer Couplers	374
R5EURO	Round Bale Handler - EURO/Global Mount / Includes Hose Kit & Pioneer Couplers	374
R5JD440540	Round Bale Handler - JD 200-500 / Includes Hose Kit & Pioneer Couplers	
R5SSL	Round Bale Handler - Skid Steer Mount / Includes Hose Kit & Flat Face Couplers	374
R5JD640	Round Bale Handler - JD 600-700 / Includes Hose Kit & Pioneer Couplers	

### 691 Round Bale Handler

Heavy duty handler with rotating rollers and tine reinforcement. When the 691 round bale handler is transporting wrapped bales, two adjustable rollers powered by a double-acting hydraulic ram, close to cradle and carry the wrapped or unwrapped round bale securely and safely. The rotating rollers can be removed, transforming the 691 round bale handler into a spike type round bale handler capable of transporting two unwrapped bales of silage, hay, or straw at the one time.



### R5 Round Bale Handler

The McHale R5 round bale handler is ideal for collecting round bales, which have been tipped on their ends in the field. The McHale R5 Round Bale Handler can also be used to collect round bales, which have been left normally after a baler and rotate them through 90 degrees and stack them on their ends so that they hold their shape better.



**Woodward Crossings, Inc.**  
[www.WoodwardCrossings.com](http://www.WoodwardCrossings.com)  
 814-349-4484  
[mail@WoodwardCrossings.com](mailto:mail@WoodwardCrossings.com)

# MCHALE BALER/WRAPPER COMBINATION MACHINE



## Dimensions & Weight

Length / Width / Height	19' 9" – 9'8" / 9' 10"	20' 8" / 9' 8" / 10' 9"
Weight	12,456 lbs.	14330 lbs.

## Pick Up

Working Width	6' 11"	6' 11"
Tine Bars	5	5
Tine Spacing	2 ¾"	2 ¾"
Pick Up Lift	Hydraulic	Hydraulic
Pick Up Guide Wheels (pneumatic)	Standard	Standard

## Chopper Unit

Maximum Number Of Knives	25	15
Theoretical Chop Length	1 ¾"	2 ½"
Unblocking system	Automatic Drop Floor	Drop Floor
Knife Control	Hydraulic from Tractor Cab	Hydraulic from Tractor Cab
Knife Protection	Hydraulic	Hydraulic

## Bale Chamber

Number of Rollers	18	-
Width / Diameter	4' / 4' 1"	4' / 2' to 5' 6"
Greasing	Progressive	Automatic
Bearings	2 3/16"	-
# of Belts	-	1

## Bale Chamber Wrap

Type	Plastic or Net w/loading device	Net
Layer Adjustment	In-Cab	In-Cab
Wrap/Net roll Capacity	1 + 1 Storage	1 + 2 Storage
Wrap System	Infinite Stretch	High Performance Netter
Control	Manual or Automatic	Manual or Automatic

## Wrapping

System	Vertical Wrapping Ring	Vertical Wrapping
Film Storage	10 Rolls & 2 on the Wrapper	10 Rolls & 2 on the Wrapper
Film Layers	2+2+2 System	2+2+2 System
Dispensers	70% x 750 mm	70% x 750 mm
Film Stretch	70% Standard (55% optional)	70% Standard (55% optional)

## Drives

Pick Up Protection	Slip Clutch	Slip Clutch
Main Drive Protection	Cam Clutch	Cam Clutch
Gearbox	Split Drive	Split Drive
Chain Lubrication	Automatic	Continuous

## Control

Density Adjustment	In-cab	In-cab
Operation	Fully Automatic	Fully Automatic
Control System (Isobus optional)	i Touch	i Touch
Inbuilt Camera	Standard	Standard
Bale Weighing & Moisture Systems	Standard	Standard

## Other

Axle & Tire Size	8 Stud - 560/60R/22.5	8 Stud - 650/50/22.5
Electronics	12 Volt DC, 7 AMP approx	12 Volt DC, 20 AMP approx
Road Lights	Standard	Standard

## Tractor

Minimum Hydraulic Flow	12 Gallon / min at 2,610 psi	12 Gallon / min at 2,610 psi
Hydraulic System	Open, Closed or Load Sensing	Open, Closed or Load Sensing
Minimum PTO Requirements	107HP	114HP

*Models available with 1000 RPM PTO w/ 1/3/8" – 21 spline tractor yoke*



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**

# MCHALE BALER/WRAPPER COMBINATION MACHINE

ITEMNUMBER	DESCRIPTION	WEIGHT
FUSION3+1000	Fusion3 Plus Baler Wrapper Combination Machine - Bale Side Tip, 11/12/25 Knife Selection, Crop Roller On Pickup, 4 X 4, Fixed Chamber, Plastic Bale Binding Instead Of Net Wrap, Bale Weight Sensor, Moisture Monitor, 1000RPM	12800
FUSIONVARIO	Fusion Vario Variable Chamber Baler - Bale Side Tip, 25 Knife Selection, Bale Weight Sensor, Moisture Monitor, 1000 RPM PTO, And Crop Roller On Pickup	14330
RBW00636	Rear Camera Kit - Optional For Fusion 3 Machines (Comes Standard On All Fusion3+ and Fusion Vario Machines)	
RBW00105	650/50 Wheels In Lieu Of Standard 560/60 Wheels - Fusion3/3+ *Factory Option*	
RBW00676	680/50 R22.5 Wheels In Lieu Of Standard 650/50 R22.5 Wheels - Vario *Factory Option*	

## McHale FUSION Combination Baler Wrappers

The Fusion Series integrated baler wrappers are not simply a wrapper coupled onto a baler; they have been specifically designed as a high output integrated baler wrapper. The unique patented bale transfer system keeps the Fusion balers short and improves the machine's performance and output.



### FUSION STANDARD FEATURES

- LED Lights
- 10 Film Roll Storage
- Heavy Duty Water shield PTO
- Vertical Wrapping Ring with film break sensors
- Inbuilt Camera (2 cameras on Fusion3 Plus)
- Bale Side Tip
- Crop Roller
- Mudguard extensions

#### Pick-Up



McHale Fusion balers are fitted with a high capacity 2.1 meter galvanized pick-up which lifts even the shortest of crop. Accurate height control can be achieved through a spring balanced hydraulic lifting system. The pick up is fitted with lateral feed augers that smoothly guide the crop into the chopping unit.

#### Drop Floor Unblock



Allows the operator to lower the floor from the cab, re-engage to PTO feeding the blocking through, reset the floor & continue baling.

**Automatic Reset\*** - Activated from the iTouch control, this lowers the floor, re-engages the PTO to feed blockage through & automatically raises the drop floor & resets the knives.

*\*Standard on Fusion 3Plus*

#### Vertical Wrapping Ring



The Vertical Wrapping Ring is fitted with two dispensers, which take approximately 20 seconds to apply 4 layers of film and 30 seconds to apply six layers of film using both dispensers. This means the wrapping platform is always waiting for the next bale.

#### Selectable Knives



Fusion machines are equipped with 25 knives and are made up of a bank of 12 and a bank of 13 knives. They can be engaged hydraulically from the tractor cab. Knives are made from hardened tool steel and have a serrated edge to create multiple points of contact with the crop to ensure a consistent chop.

#### iTouch Control System




Fusions are fully automatically controlled by an iTouch control. The iTouch system has a 7 inch color touch screen, which allows for increased levels of monitoring, with color graphics.

#### Bale Weighing & Moisture Sensor



Fitted with a bale weighing and moisture system, these readings are displayed in the customer profile section on the iTouch control console.

#### Split Drive Gearbox



The gearbox design ensures power is evenly distributed to both sides of the baler. The bale chamber belt(s) are driven from the left, and the pickup and chopper unit are driven from the right. This system ensures direct, short transfer paths, leading to optimal power distribution.



Woodward Crossings

**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**



# MCHALE BALER / WRAPPER COMBINATION MACHINE



## STANDARD FEATURES

- Film or Net Wrap
- 18 Roller Bale Chamber
- 1000 RPM
- Bale Weight & Moisture Sensor
- 25 Knif Heavy Duty Feed Rotor Knife Selection
- Bale Side Tip

## 3 PLUS ADVANTAGES

- Film or Net Wrap
- Fixed Chamber 4x4 Bales
- Film Stretch & Adjustment from Cab
- 2<sup>nd</sup> Camera for Film Binding
- Net Loading Device
- Denser Bales and easier feed out

## STANDARD FEATURES

- Double drive variable bale chamber
- Bale Shape Indicator
- 3 Belt Bale Chamber with Endless Belts
- 1000 RPM
- Weight & Moisture Sensor
- 15/25 Knife Selection
- Bale Side Tip

## VARIO ADVANTAGES

- Variable Chamber
- Bales Hay or Straw from 2' up to 5'6" (*wrapped 3'3" up to 5'6"*)
- Single Belt Bale Chamber
- Automatic Greasing System
- Crop Roller

## FILM ON FILM TECHNOLOGY

### Acts As A Wrapping Layer

Plastic added to the barrel keeps the bale together as it passes from baler to wrapper & acts as an extra layer of wrap.

### Results In Better Shaped Bales

Applied plastic can stretch to about 20%. The stretch ratio is higher than what can be achieved with net wrap or twine. The material is kept tighter, resulting in better bale shape.

### Delivers Higher Quality Silage

Plastic stretches expelling more air than net wrap resulting in better silage quality.

### Makes Recycling Easier

There is only one form of waste. No need to separate the twine or net wrap.

### PATENTED FILM APPLICATION

Temperature & sun light affect the chamber film causing it to be over or under stretched.

McHale developed a patented system which adjusts the break force on the roll of plastic in-line with working conditions & allows for a continuously variable stretch, which adjusts to changes in the day automatically.

## VARIO COMBINATON MACHINE


The Vario is a unique machine allowing you to change the size of your bales. The high-speed vertical wrapping ring applies four layers of film to a 4' bale in about 20 secs. or six layers 30 secs.



## BALE SHAPE INDICATOR

The bale shape indicators ensure that when the machine works in a light swath, the best bale shape is achieved by alerting the driver via the control box, which side of the chamber needs to be filled.

## NET LOADING DEVICE



This device aids the operator when loading net/film onto the platform. The cradle folds downwards to load the roll. It is pivoted up in line with the platform. Smooth rollers ensure the net/film easily slides from the cradle to the platform without damage.

## OILING & GREASING

**PRESSURISED OILING SYSTEM** – The operator can adjust the oil flow to the following chains: chamber drive side chains, rotor drive chains, pick-up drive chains & cam track.

**AUTOMATIC GREASING SYSTEM** – Delivers a measured amount of grease around the machine after every bale cycle. A lube alarm sounds after 300 bales to refill the grease cartridge.

## BALE TRANSFER



**Fusion 3+** – The bale chamber splits horizontally with the lower section acting as a transfer mechanism to transfer the bale to the vertical wrapping ring.

## SINGLE BELT



The bale chamber is comprised of a single heavy-duty endless belt. The belt is extremely hard wearing and reinforced with synthetic material, allowing the belt to absorb and apply high pressure to material in the bale chamber. The single belt also reduces crop loss, particularly in alfalfa and provides better belt traction for the operator compared to multiple endless belts.

## AUTOMATIC GREASING



All drives and non-drive side chamber bearings and rotor bearings receive a measured amount of grease distributed every time the bale chamber door opens. An alarm sounds after 300 bales to inform the operator to refill the grease cartridge.

## BALE TRANSFER



**Fusion Vario** – The transfer cradle moves the bale towards the wrapping ring, the wrapping roller closest to the bale chamber pivots out of the way reducing the height the bale has to travel to get to the wrapper



**Woodward Crossings**

**Woodward Crossings, Inc.**  
[www.WoodwardCrossings.com](http://www.WoodwardCrossings.com)

**814-349-4484**

[mail@WoodwardCrossings.com](mailto:mail@WoodwardCrossings.com)



# MCHALE BALER/WRAPPER COMBINATION MACHINE

## MCHALE V6 VARIABLE CHAMBER BALERS

ITEMNUMBER	DESCRIPTION	WEIGHT
V6740	Variable Chamber Baler - No Chopper Unit	9100
V6740S	Variable Chamber Baler - No Chopper Unit, Single Belt	9100
V6750	Variable Chamber Baler - 3 Belt, 15 Knife Chopper	9900
V67501000	Variable Chamber Baler - 3 Belt, 15 Knife Chopper, 1000RPM	9900
V6750S	Variable Chamber Baler - Single Belt, 15 Knife Chopper	9900
V6750S1000	Variable Chamber Baler - Single Belt, 15 Knife Chopper, 1000RPM	9900

### OPTIONS V6 BALERS

ITEMNUMBER	DESCRIPTION
RBW00700	25 Knife Chopper - Optional On V6750 *Factory Option*
RBW00699	25 Knife Selectable - Optional On V6750 *Factory Option*
RBW00728	560/45 R22.5 Wheels In Lieu Of Standard 500/50 R22.5 - V6740/6750 *Factory Option*
KST00094	Moisture Sensor Kit - Fits V6 Models

### V6 FEATURES

- Hydraulic netter
- Front loading/standing platform
- Ultra-sonic belt sensors
- Proportional density valve
- Channel type bale kicker

#### V6740

Replaces V640

#### V6750

Replaces V660

83" pick up – 5 tine bars	✓	✓
15 knife chopper	✓	✓
500/50 R 22.5 tires	✓	✓
Drop floor unblocking	✓	✓
Double drive sprockets		✓
Crop roller	✓	✓
Road light kit	✓	✓
Safety chain	✓	✓
USA power cord	✓	✓
Feed rotor	✓	✓
Automatic bale chamber grease system	✓	✓
Secondary drive roller top cleaning auger		✓
Automatic chain oiler system	✓	✓
Expert plus 3 control box	✓	✓
51" wide direct netter	✓	✓
Chamber wall side discs	✓	✓
Liner plates	✓	✓



Expert Plus 3 Control Box



**Woodward Crossings, Inc.**  
[www.WoodwardCrossings.com](http://www.WoodwardCrossings.com)  
 814-349-4484  
[mail@WoodwardCrossings.com](mailto:mail@WoodwardCrossings.com)



## Hay & Straw Moisture Meter

ITEMNUMBER	DESCRIPTION	WEIGHT
AGFH0013	10" HFM II Hand Held Moisture Tester Probe	2
AGFH0010	20" HFM II Hand Held Moisture Tester Probe	2
AGFH0011	40" HFM II Hand Held Moisture Tester Probe	2.5
AGFP0010	Baler Mounted Moisture Monitor Universal Mounting-With Monitor	3.5

### HAY & STRAW MOISTURE METERS

Professional measuring instruments for determining moisture and temperature of baled hay or straw.

#### Handheld Moisture Meter

Easy moisture control with ongoing display of the readings during the measurement procedure for rapid moisture measurement at different locations within the bale.

- Ergonomically shaped wooden handle
- Moisture range 9 to 70%
- Temperature range 32° F to 212° F
- 13mm LCD display
- Adjustable alert function
- No calibration necessary
- Power supply with 9 V battery



#### Baler-Mounted Moisture Meter



For farmers and contractors who want control of their moisture content during the baling process.

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>Robust construction, high quality materials</li> <li>Splashproof display</li> <li>Stainless steel mounting bracket</li> <li>Backlit LCD display with 13mm high digits</li> <li>0.8% Accuracy</li> <li>Measuring range from 9 to 70%</li> </ul> | <ul style="list-style-type: none"> <li>Ongoing display of the measured value</li> <li>Adjustable alert function</li> <li>No calibration necessary</li> <li>Sensor plate of high-strength plastic</li> <li>Sturdy sensor mounting with 4 screws M8</li> </ul> |
|---|--|



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**