

# Westfield Augers for Woodward Crossings



## WESTFIELD AUGERS

Model	Description	Wt
-------	-------------	----

### Utility Augers



UB0411	4" x 11' Upper basic section	66
UX0405	4" x 5' ext tube / fighting	24
UX0410	4" x 10' ext tube / fighting	46
A152	4" Intake Metal Hopper	10
A210	4" Poly Hopper	8
UB0616	6" x 16' Upper basic section	164
UX0605	6" x 5' ext tube / fighting	43
UX0610	6" x 10' ext tube / fighting	74
UX0615	6" x 15' ext tube / fighting	109
UB0816	8" x 16' Upper basic section	228
UX0805	8" x 5' ext tube / fighting	67
UX0810	8" x 10' ext tube / fighting	115
UX0815	8" x 15' ext tube / fighting	172
UB1016	10" x 16' Upper basic section	304
UX1005	10" x 5' ext tube / fighting	106
UX1010	10" x 10' ext tube / fighting	194
UX1015	10" x 15' ext tube / fighting	281
A128	6" Intake Metal Hopper	17
A130	8" Intake Metal Hopper	21
A131	10" Intake Metal Hopper	33
UB1321	13" x 21' Upper basic section	649
UX1305	13" x 5' ext tube / fighting	159
UX1310	13" x 10' ext tube / fighting	284
UX1320	13" x 20' ext tube / fighting	538
A188	Opt 13" hopper kit, bolts to shielded intake	41
A198	13" tube clamp	17

### Drill Fill - (rear mount)



DF614	6" x 15.5' fold-down w/hydr motor	215
-------	-----------------------------------	-----



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**

## WESTFIELD AUGERS

Model	Description	Wt	
-------	-------------	----	--

### Transport Augers

#### **WRX 8" BASIC GRAIN AUGER**

Shipped complete with undercarriage, enclosed driveline, intake safety shield, outlet spout, tow hitch, safety shields winch and tires with rims, **note: must add a drive kit to complete auger.**



Model	Auger w/RIMS & TIRES	Wt
WRX0831	8" x 31' Auger - less drive	873
WRX0841	8" x 41' Auger - less drive	1047
WRX0851	8" x 51' Auger - less drive	1392
WRX0861	8" x 61' Auger - less drive	1654
WRX0871	8" x 71' Auger - less drive	1868
WRX0876	8" x 76' Auger - less drive	1918

#### **8" WRX PTO-SD Drive Kit gearbox mounted near bottom bottom of tube**

Shipped complete with shielded non-separable 60" PTO driveline, transport saddle for PTO

A429	WRX80-31 SD (PTO/shaft drive)	151
A431	WRX80-41 SD (PTO/shaft drive)	151
A433	WRX80-51 SD (PTO/shaft drive)	152
A435	WRX80-61 SD (PTO/shaft drive)	172
A436	WRX80-71 SD (PTO/shaft drive)	172
A444	WRX80-76 SD (PTO/shaft drive)	172

#### **8" WRX EMD Drive Kit electric mount on tube**

Shipped complete with tube mounted motor mount, belts & pulley & battery, **LESS** electric motor & switches, and motor pulley. Recommended pulley size: **7.75** for 1750 RPM motors.

A418	WRX8/10 EMD (electric motor drive) fits WRX8/10-31/41 augers	100
A423	WRX8/10 EMD (electric motor drive) fits WRX8/10-51/61/71 augers	104

#### **8" WRX MD Drive Kit gas or electric motor drive**

Shipped complete with motor mount, belts & pulley, **LESS** engine & engine pulley. Recommended pulley size: **4.2"** for gas engines, **7.75"** for 1750 RPM electric motors.

A435	WRX80-61 SD (PTO/shaft drive)	172
A436	WRX80-71 SD (PTO/shaft drive)	172

### WR Series Accessories

A103	Poly hopper 48" – fits 6", 7", 8"	17
A104	Bid round poly hopper 50" dia x 20" deep, fits 10"	31
A223	Large poly V-hopper w/improved cleanout, fits 13"	31
A163	Poly bucket flex spout 36" - 5 section, fits 6", 7"	10
A164	Poly bucket flex spout 36" - 5 section, fits 8", 10"	14



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**

Model	Description	Wt
-------	-------------	----

**Transport Augers**

**WRX 10" BASIC GRAIN AUGER**

Shipped complete with undercarriage, enclosed driveline, intake safety shield, outlet spout, tow hitch, safety shields winch and tires with rims, **note: must add a drive kit to complete auger.**

WRX1031	10" x 31' Auger - less drive	1146
WRX1041	10" x 41' Auger - less drive	1406
WRX1051	10" x 51' Auger - less drive	1805
WRX1061	10" x 61' Auger - less drive	2130
WRX1071	10" x 71' Auger - less drive	2425

**10" WRX PTO-SD Drive Kit gearbox mounted near bottom bottom of tube**

Shipped complete with shielded non-separable 60" PTO driveline, transport saddle for PTO

A419	WRX10-31 SD (PTO/shaft drive)	154
A421	WRX10-41 SD (PTO/shaft drive)	155
A424	WRX10-51 SD (PTO/shaft drive)	155
A425	WRX10-61 SD (PTO/shaft drive)	173
A426	WRX10-71 SD (PTO/shaft drive)	176

**10" WRX EMD Drive Kit electric mount on tube**

Shipped complete with tube mounted motor mount, belts & pulley & battery, **LESS** electric motor & switches, and motor pulley. Recommended pulley size: **7.75** for 1750 RPM motors.

A418	WRX8/10 EMD (electric motor drive) fits WRX8/10-31/41 augers	100
A423	WRX8/10 EMD (electric motor drive) fits WRX8/10-51/61/71 augers	104

**10" WRX MD Drive Kit gas or electric motor drive**

Shipped complete with motor mount, belts & pulley, **LESS** engine & engine pulley.

Recommended pulley size: **4.2"** for gas engines, **7.75"** for 1750 RPM motors.

A425	WRX80-61 SD (PTO/shaft drive)	173
A426	WRX80-71 SD (PTO/shaft drive)	176



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**

Model	Description	Wt		
-------	-------------	----	--	--

**Transport Augers**  
**W 13" Grain Augers**

Shipped complete with shielded non-separable 60" PTO driveline, transport saddle for PTO driveline, outlet spout, tow hitch, safety shields & winch.

1331SD	13" x 31' Auger	1796
1341SD	13" x 41' Auger	2160

Shipped complete with shielded non-separable 72" PTO driveline, transport saddle for PTO driveline, outlet spout, tow hitch, safety shields & winch, dual hydraulic cylinder lift system. Shipped with 16" bias ply tires & wheels.

1351SD	13" x 51' Auger	2975
1361SD	13" x 61' Auger	3440
1371SD	13" x 71' Auger	3935

Shipped complete with tube mounted motor mount, triple belts & pulley, outlet spout, tow hitch, safety shields & winch, **LESS** electric motor & switches, and motor pulley. Recommended pulley size: 4" to 4.3" for gas engines, 7.75" for 1750 RPM motors.

1331EMD	13" x 31' Auger	1787
1341EMD	13" x 41' Auger	2210



**Woodward Crossings, Inc.**  
**[www.WoodwardCrossings.com](http://www.WoodwardCrossings.com)**  
**814-349-4484**  
**[mail@WoodwardCrossings.com](mailto:mail@WoodwardCrossings.com)**

## WESTFIELD AUGERS

Model	Description	Wt		
-------	-------------	----	--	--

### Transport Augers

#### **MK 80 Swing Hopper Augers w/rims & tires**

MK80 mechanical swing hopper auger runs both the main and swing auger w/PTO power.

This design maintains high capacity and performance. "A" frame design for maximum stability. Equipped with HD constant velocity (CV) PTO shaft to eliminate vibrations for smoother running and less stress on the drive train.

Shipped complete with shielded CV-PTO driveline equipped with overload shear bolt, hydraulic lift cylinder with hose and shut-off valve, complete with drive, hopper lift system with 5:1 winch, intake boot hopper with tow bar and hitch jack, and tractor-end hydraulic couplers. 15" radial tires mounted on rims. Hoses for the hydraulic motor on hydraulic drive hoppers are included LESS the tractor-end hyd couplers.



MK0851G	8" x 51' Auger w/mech drive std hopper	1870		
MK0861G	8" x 61' Auger w/mech drive std hopper	2110		
MK0871G	8" x 71' Auger w/mech drive std hopper	2330		
MK0851H	8" x 51' Auger w/hydr drive std hopper	1835		
MK0861H	8" x 61' Auger w/hydr drive std hopper	2075		
MK0871H	8" x 71' Auger w/hydr drive std hopper	2295		



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**

## WESTFIELD AUGERS

Model	Description	Wt	
-------	-------------	----	--

### Transport Augers

#### MKX 100 Swing Hopper Augers w/rims & tires

Introducing the MKX 100 series which offers unmatched dependability and serviceability.

- improved low-profile hopper w/easy to access drive components and u-joints with external grease zerks for ease of maintenance.
- sealed spout and boot with improved access panels and clean out
- increased capacity up to 6,600 BPH
- square shaft flighting connections with removable and replaceable boot flight.
- Wear Edge: continuous 10ga steel ribbon welded to flighting edge where most of the wear occurs. Standard on all augers at critical grain transfer points, including hopper, boot and incline tube.
- Extendable axle on the 83' length for increased stability. Retraction offers reduced width for transportation.

Shipped complete with shielded CV-PTO driveline, equipped with overload shear bolt, hydraulic lift cylinder with hose and shut-off valve, standard or low-profile feed hopper (as ordered) complete with drive, hopper lift system with 5:1 winch, intake boot hopper with low bar and hitch jack, and tractor-end hydraulic couplers. Shipped w/15" tires mounted on rims.

- MKX 100 x 83' augers are shipped with 6-bolt cast iron hubs and 16" heavy gauge wheel
- when ordering - specify desired drive and hopper style
- if not specified - auger will be shipped with the low profile hopper

MKX1053	10" x 53' mech drive, low profile hopper	2797	
MKX1063	10" x 63' mech drive, low profile hopper	3100	
MKX1073	10" x 73' mech drive, low profile hopper	3388	
MKX1083	10" x 83' mech drive, low profile hopper	4133	
MKX1053G	10" x 53' mech drive, standard hopper	2628	
MKX1063G	10" x 63' mech drive, standard hopper	2934	
MKX1073G	10" x 73' mech drive, standard hopper	3220	
MKX1083G	10" x 83' mech drive, standard hopper	3965	



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**



Model	Description	Wt
-------	-------------	----

## Transport Augers

### **MKX 130 Swing Hopper Augers w/rims & tires**

- capacity of 11,000 at all elevations
- improved low-profile hopper w/easy to access drive components and u-joints with external grease zerks for ease of maintenance.
- sealed spout and boot with improved access panels and clean out
- square shaft flighting connections with removable and replaceable boot flight.
- 84', 94', 114' sizes use steel trussing on the top of the auger for stability & durability
- 84', 94', 114' sizes offer extendable axles for stability at the bin site and narrower transport width

Shipped complete with shielded CV-PTO driveline, equipped with overload shear bolt(s), dual hydraulic lift cylinders with improved shut-off valve, hopper lift system with 5:1 winch. 16" tires mounted on rims are standard. Includes hydraulic tractor-end couplers.

MKX1364	13" x 64' mech drive, low profile hopper	4449
MKX1374	13" x 74' mech drive, low profile hopper	4747
MKX1384	13" x 84' mech drive, low profile hopper	6644
MKX1394	13" x 94' mech drive, low profile hopper	7448
MKX13114	13" x 114' mech drive, low profile hopper	9109

### **MKX 130 Reducer Reverser (recommended for 1000rpm tractors)**

Allows higher HP tractors to use the 1000rpm PTO outlet to operate the MKX130 augers at an optimal speed of 540rpm and **maximize the auger capacity**. Dual inputs allow auger direction to be easily reversed by switching PTO input connection. Units mounts conveniently on auger boot. (NOT compatible with MK80, MK100, or older MK130 model augers, NOT compatible with augers equipped with Right Angle Drive.

A262	MKX 1000 rpm Reducer/Reverser
A219	CV-PTO ½ shaft for MKX130 64-74 /21-spline tractor output
A220	CV-PTO ½ shaft for MKX130 64-74 /20-spline tractor output
A246	CV-PTO ½ shaft for MKX130 84-94-114 /21-spline tractor output 55E
A247	CV-PTO ½ shaft for MKX130 84-94-114 /20-spline tractor output 55E
X109	* credit for MKX 130 84-94-114 PTO shaft 1/2 (yellow)
X104	* credit for MK/MKX 130 61-74 CV PTO driveline (black)



**Woodward Crossings, Inc.**  
**www.WoodwardCrossings.com**  
**814-349-4484**  
**mail@WoodwardCrossings.com**